

Notice of Allowability

Application No.

10/775,500

Examiner

Leo Boutsikaris

Applicant(s)

EDWARDS, JATHAN D.

Art Unit

2872

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed on 3/23/06.
2. ☒ The allowed claim(s) is/are 9-17 and 19-26.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 3/23/06
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

DETAILED ACTION

Terminal Disclaimer

The terminal disclaimer filed on 3/23/06 disclaiming the terminal portion of any patent granted on this application, which would extend beyond the expiration date of any patent granted upon U.S. Patent Application 10/775,505 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Allowable Subject Matter

Claims 9-17, 19-26 are allowable over the prior art of record for at least the reason that even though the prior art discloses holographic recording systems where the object and reference beams are along the same axis, and on the same side of the recording material, the object and reference beams being created by different portions of the same spatial light modulator, the prior art fails to teach or reasonably suggest, regarding claims 9-16, 19-26, a spatial light modulator comprising a first set of controllable optical elements to create an object beam from a perimeter portion of an input beam and a second set of controllable optical elements to create a reference beam from an interior portion of the input beam, and regarding claim 17, a method comprising creating an object beam from a perimeter portion of an input beam using a first set of controllable optical elements of a spatial light modulator, and creating a reference beam from an interior portion of the input light beam using a second set of controllable optical elements in a perimeter portion of the spatial light modulator, as set forth by the claimed combination.

Art Unit: 2872

Matsumoto (US 2006/0077853, Fig. 3), and Horimai (EP 16124451, Fig. 3) disclose holographic recording systems, where the object beam is formed by the interior portion and the reference beam is formed by the exterior portion of the SLM. However, none of the above references is prior art.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dr. Leo Boutsikaris whose telephone number is 571-272-2308. The examiner can normally be reached on M-F, 10-6.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Drew Dunn can be reached on 571-272-2312. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

LEONIDAS BOUTSIKARIS
PRIMARY EXAMINER

Leo Boutsikaris, Ph.D., J.D.
Primary Patent Examiner, AU 2872
May 3, 2006